

Message

From: Goodwin, Cathleen@Waterboards [Cathleen.Goodwin@waterboards.ca.gov]
Sent: 9/10/2020 6:26:15 PM
To: Mues, Pascal [Mues.Pascal@epa.gov]
CC: Moore, Heaven@Waterboards [Heaven.Moore@Waterboards.ca.gov]; Herman, Matthew T.@Waterboards [Matthew.Herman@Waterboards.ca.gov]
Subject: Eureka - Their response to our comments regarding their ammonia model proposal
Attachments: 20200702 BCResponse to RWQCB Ammonia CommentsV2.pdf

Hi Pascal:

I hope all is well with you. I'm a bit delayed in sending this to you, but I am now finding the time to get back to Eureka. They submitted their responses to our comments on their ammonia model proposal.

I am leaving on vacation now, so I just wanted to get this sent to you before I go. I will be back at work on September 29 or 30.

Take Care,
Cathy

Cathleen Goodwin
Water Resources Control Engineer
North Coast Regional Water Quality Control Board
5550 Skylane Boulevard, Suite A
Santa Rosa, CA 95403

Desk Phone No.: (707) 576-2687
Fax Phone No.: (707) 523-0135
Email: Cathleen.Goodwin@waterboards.ca.gov

The governor of California has issued a statewide shelter in place order due to the COVID-19 emergency. The Water Boards are continuing day-to-day work protecting public health, safety, and the environment. However, most staff are working remotely and we continue to check email and voicemail regularly. Thank you and stay healthy and safe.